## भारत पेट्रोलियम कॉर्पोरेशन लिमिटेड

भारत सरकार का उपक्रम



The Secretary, **BSE Ltd.**Phiroze Jeejeebhoy Towers,

Dalal Street,

Mumbai – 400 001 BSE Scrip Code: 500547 The Secretary,
National Stock Exchange of India Ltd.
Exchange Plaza, Plot No.C/1,
G.Block, Bandra- Kurla Complex
Mumbai – 400 051
NSE Symbol: BPCL

Dear Sir / Madam,

Sec. 3.4.1 (L)

Sub: Certification under Regulation 7(2) / (3) of SEBI (Listing Obligations and Disclosure Requirements) Regulations, 2015 for the half year ended 30.09.2020

We enclose herewith Certification under Regulation 7(2) / (3) of SEBI (Listing Obligations and Disclosure Requirements) Regulations, 2015 for the half year ended 30.09.2020.

We request you to kindly take the same on record.

Thanking you,

Yours faithfully,

For Bharat Petroleum Corporation Limited

(V. Kala)

Company Secretary

Encl: A/a

## DATA SOFTWARE RESEARCH COMPANY PRIVATE LIMITED\_

19, Pycrofts Garden Lane Off Haddows Road Nungambakkam Chennai - 600 006.

Tel: 044 - 2821 3738 / 4487

The Secretary, **BSE Ltd**Phiroze Jeejeebhoy Towers,

Dalal Street,

Mumbai 400 001

BSE Scrip Code: 500547

The Secretary,
National Stock Exchange of India Ltd.
Exchange Plaza, Plot No C/1,
G Block, Bandra-Kurla Complex

Mumbai 400051

**NSE Symbol: BPCL** 

Dear Sir/Madam,

Subject: Certification under Regulation 7(3) of SEBI (Listing Obligations and Disclosure Requirements) Regulations, 2015 for the half year ended 30.09.2020.

We hereby confirm and certify that all activities in relation to both physical and electronic share transfer facility for Bharat Petroleum Corporation Limited are maintained by M/s Data Software Research Co. Pvt. Ltd., Registrar & Share Transfer Agent (SEBI certificate of permanent registration: Reference No INR000000403, dated 02.04.2013.)

Thanking You,

Yours faithfully,

For Bharat Petroleum Corporation Limited

(Ms.V Kala)

Company Secretary & Compliance Officer

Date: 09/10/20

For Data Software Research Co. Pvt. Ltd.

(S Chandrasekaran)

Senior Manager & Compliance Officer

Date: 09/10/20